




Glacier Inverter Series



Golden Fin



Serie Glacier Inverter

MODEL / MODELO: MWGLT_S / MRGLT_AS SPECIFICATIONS / ESPECIFICACIONES

Indoor Model			MWGLT09S	MWGLT12S	MWGLT18S	MWGLT24S
Outdoor Model			MRGLT09AS	MRGLT12AS	MRGLT18AS	MRGLT24AS
Power supply		Ph-V-Hz	208/230V,1Ph,60Hz	208-230V,1Ph,60Hz	208-230V,1Ph,60Hz	208-230V,1Ph,60Hz
Cooling	Capacity (range)	Btu/h	9,000	12,000	18,000	24,000
	Input	W	812	1,037	1,583	1,960
	Rated current	A	3.53	4.5	6.7	9.0
	EER	Btu/w	11.8	11.8	10.75	10.9
	SEER	Btu/w	19	19	20	19.0
Minimum Circuit Ampacity		A	10	11	15	18
Max.Fuse		A	15	15	20	25
Compressor	Model		ASK89D29UEZD	ASK89D29UEZD	ASN140D21UFZ	ATN150D30UFZA
	Type		ROTARY	ROTARY	ROTARY	ROTARY
	Brand		GMCC	GMCC	GMCC	GMCC
	Capacity	Btu/h	2,670	2,670	4,225	4,500
	Input	W	702	702	1,085	1,160
	Rated current (RLA)	A	4.95	4.95	7.58	8
Refrigerant oil/oil charge		ml	VG74/170	VG74/170	VG74/440	VG74/450
Indoor air flow (Hi/Mi/Lo)		m3/h	410 / 350 / 250	410 / 330 / 350	900 / 750 / 600	988 / 776 / 562
Indoor air flow (Hi/Mi/Lo)		CFM	241 / 206 / 147	241 / 194 / 206	530 / 441 / 353	582 / 457 / 331
Indoor noise level (Hi/Mi/Lo)		dB(A)	38 / 32 / 26.5	37.5 / 34.5 / 24.5	42 / 34.5 / 30.5	46 / 40.5 / 34.0
Indoor unit	Dimension (W*D*H)	mm	722 x 187 x 290	802 x 189 x 297	965 x 215 x 319	1080 x 226 x 335
	Packing (W*D*H)	mm	790 x 270 x 370	875 x 285 x 375	1,045 x 305 x 405	1,155 x 415 x 315
	Net/Gross weight	Kg	7.4 / 9.8	8.2 / 10.8	11.4 / 14	14.3 / 17.9
Outdoor air flow		m3/h	2,091	2,091	2,030	3,100
Outdoor air flow		CFM	1,231	1,231	1,195	1,825
Outdoor noise level		dB(A)	51	51.5	53.5	57.0
Outdoor unit	Dimension (W*D*H)	mm	770x300x555	770x300x555	770x300x555	845x363x702
	Packing (W*D*H)	mm	900x345x585	900x345x585	900x348x615	965x395x765
	Net/Gross weight	Kg	24.5/26.9	24.8/27	29.9/32.8	40.2/43.5
Refrigerant type		oz	R410A/0.5	R410A/0.53	R410A/0.9	R410A/40.9
Refrigerant precharge		ft	25	25	25	25
Refrigerant piping	Liquid side/ Gas side	mm(inch)	6.35mm(1/4in) / 9.52mm(3/8in)	6.35mm(1/4in) / 12.7mm(1/2in)	6.35mm(1/4in) / 12.7mm(1/2in)	9.52mm(3/8in) / 15.9mm(5/8in)
	Max. refrigerant pipe length	m	25	25	30	30
	Max. difference in level	m	10	10	20	20